

Purpose

To ensure that the side by side is safe to operate. It is also a tool to help operators identify small problems before they can become big ones reducing repair costs and downtime.

Ensure the manufacturer's instructions are referred to for specific side by side make/model specifications.

This checklist is non-exhaustive and users are recommended to make the necessary customisation to meet your work place requirements.

**Have you completed training to operate this equipment / implement?
IS THIS THE RIGHT MACHINE FOR THE JOB TODAY?**

Enter P Pass
Enter NR Needs Repair

Side by Side Make/Model							
Inspection Completed by: (sign)							
Date:							
Checks Required		(P or NR)					
TCLOC: Tyres and Wheels, Chassis and Suspension, Lights and Electrics, Oil and Fuel, Cables and Controls							
1	Fuel, Oils and Coolant Levels						
Visual Inspection							
2	Loose / Damaged parts						
3	Fuel / Oil leaks						
4	Fuel filter clean						
5	No warning lights illuminated						
6	Seatbelts and helmets working						
7	No bird nests on hot parts						

Checks Required		(P or NR)						
8	Tow bar, carrier, bull bars, plastic covers							
9	Gear lever not loose							
10	Doors, seat, windscreen, wipers in good condition							
11	Carrier limit							
12	Throttle not sticking through full stroke							
13	Kill switch operating							
14	Spare spark plug on board							
15	Lubricated cables: brake, throttle, choke							
Wheels and Tyres								
16	Check tyres for damage: cuts, wood or dirt in rim beads							
17	Pressure correct in each tyre							
18	Tread depth no more than 50% worn							
19	CV boots not cut or torn – MUST seal CV							
20	Wheel nuts secure							
21	No rust, loose nuts, rims not bent							
22	No loose wheel bearings							
Brakes								
23	Working correctly prior to reaching full speed							
24	Hydraulic fluid level indicates disc pad wear							
25	Handbrake or park holds							
26	Brakes adjusted correctly							

Checks Required		(P or NR)						
27	If cable operated, check adjusters wear limit markers							
Lights and Switches								
28	All in working order – including dashboard							
29	No warning lights illuminated							
30	Emergency cut-out is operating							
Steering								
31	Moves freely without undue looseness							
32	Check steering shafts for wobble or stiffness							
33	Check driveshaft for twine or grass wrapped up							
34	CV boots for splits							
35	Front suspension “A” arm ball joints and bushes tight							
Air Filter								
36	Not choked with dirt - Clean and replaced regularly							
Drive Chain and Chassis								
37	Chain adjusted correctly, lubricated / belt not slipping / dry housing							
38	Drive shaft – no leaks at seals							
39	No loose parts with engine off							
40	Suspension Linkages tight							
Trailer and Attachments								
41	All checked, greased							
42	Load secure							

Checks Required		(P or NR)						
43	Side x side tilt deck working							
44	Reflectors for road use							
45	Hitch and ball correct size match							
Repairs Carried out Date:								
By:								

NOTES:

